

# **SAFETY DATA SHEET (SDS)**

Revision date 01-March-2017

Version 2

## **Section 1: IDENTIFICATION**

**Product identifier** 

Product Trade Name PENOFIN RENEWALL ELASTOMERIC COATING – TERRA COTTA

**Product Description** 

Elastomeric coating for use on wood and concrete

Recommended use of the chemical and restrictions on use

Paint, Coatings

**Performance Coatings** 

Inc.

P.O. Box 1569 360 Lake Mendocino Dr. Ukiah, CA 95482 Phone: (707) 462-3023 Fax: (707) 462-6139

E-mail address

mail@penofin.com

**Emergency telephone number** 

Chemtrec 1-800-424-9300 or outside USA 1-703-527-3887

# Section 2: HAZARDS IDENTIFICATION

Classification

Skin sensitization Category 1

#### **Label elements**



#### Signal word

#### **WARNING**

#### **HAZARD STATEMENTS**

May cause an allergic skin reaction

#### **PREVENTION**

Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves.

#### **RESPONSE**

Get medical advice/attention if you feel unwell.

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

#### Skin

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

#### Inhalation

IF INHALED: Call a POISON CENTER or doctor if you feel unwell.

## Ingestion

Do NOT induce vomiting. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

#### **STORAGE**

Keep container tightly closed.

#### **DISPOSAL**

Dispose of contents/containers in accordance with local regulations.

#### HAZARDS NOT OTHERWISE CLASSIFIED (HNOC)

Not applicable.

#### **OTHER HAZARDS**

Toxic to aquatic life with long lasting effects. Toxic to aquatic life.

#### **UNKNOWN ACUTE TOXICITY**

0% of the mixture consists of ingredient(s) of unknown toxicity.

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name                     | CAS No     | weight-% |
|-----------------------------------|------------|----------|
| Titanium dioxide                  | 13463-67-7 | >25      |
| 3-lodo-2-propynyl butyl carbamate | 55406-53-6 | 0.2 - 1  |
| Propylene Glycol                  | 57-55-6    | 1- 2     |

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

## **Section 4: FIRST AID MEASURES**

#### **First Aid Measures**

#### **General advice**

Get medical advice/attention if you feel unwell.

#### Eve contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

#### **Skin Contact**

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

#### Inhalation

IF INHALED: Call a POISON CENTER or doctor if you feel unwell.

#### Ingestion

Do NOT induce vomiting. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

#### Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

#### Indication of any immediate medical attention and special treatment needed

**Note to physicians**Treat symptomatically.

## **Section 5: FIRE FIGHTING MEASURES**

#### Suitable extinguishing media

Dry chemical, CO2, water spray or alcohol-resistant foam.

Not to be used for safety reasons: Strong water jet

#### Specific hazards arising from the chemical

Burning produces heavy smoke. Fire may produce irritating and/or toxic gases. In the event of fire and/or explosion do not breathe fumes. May cause sensitization by skin contact.

#### Special protective equipment for fire-fighters

Wear self-contained breathing apparatus and protective suit. Cool containers with flooding quantities of water until well after fire is out. Do not allow run-off from fire-fighting to enter drains or water courses.

## **Section 6: ACCIDENTAL RELEASE MEASURES**

### Personal precautions, protective equipment and emergency procedures

#### Personal precautions

Avoid breathing vapors or mists. Remove all sources of ignition. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

#### For emergency responders

Use personal protection recommended in Section 8.

## Environmental precautions

Do not allow into any sewer, on the ground or into any body of water. If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations. Prevent further leakage or spillage if safe to do so. Local authorities should be advised if significant spillages cannot be contained.

## Methods and material for containment and cleaning up

#### **Methods for containment**

Prevent further leakage or spillage if safe to do so.

#### Methods for cleaning up

Dispose of waste product or used containers according to local regulations. Clean with detergents. Avoid solvent cleaners. Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly. Take up mechanically, placing in appropriate containers for disposal.

## **Section 7: HANDLING AND STORAGE**

#### Precautions for safe handling

#### Advice on safe handling

Prevent the creation of flammable or explosive concentrations of vapor in air and avoid vapor concentration higher than the occupational exposure limits. Use personal protection recommended in Section 8. Never use pressure to empty container. Comply with the health and safety at work laws. Prevent product from entering drains. Vapors are heavier than air and may spread along floors. Vapors may form explosive mixtures with air. Use only with adequate ventilation. Do not breathe dust/fume/gas/mist/vapors/spray.

#### **General Hygiene Considerations**

When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Avoid contact with skin, eyes or clothing.

#### Conditions for safe storage, including any incompatibilities

#### **Storage Conditions**

Keep/store only in original container. Store in accordance with local regulations. Keep unauthorized personnel away. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Keep container tightly closed in a dry and well-ventilated place.

#### Incompatible materials

Strong oxidizing agents.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### **Exposure Limits**

Components with occupational exposure limits

| Chemical Name                  | ACGIH TLV                 | OSHA PEL                 | NIOSH IDLH                   |
|--------------------------------|---------------------------|--------------------------|------------------------------|
| Titanium dioxide<br>13463-67-7 | TWA: 10 mg/m <sup>3</sup> | TWA: 15 mg/m³ total dust | IDLH: 5000 mg/m <sup>3</sup> |
| Propylene glycol<br>57-55-6    | TWA: 10 mg/m <sup>3</sup> | -                        | -                            |

#### **Appropriate engineering controls**

### **Engineering Controls**

Ensure adequate ventilation, especially in confined areas. Provide local exhaust ventilation. In case of insufficient ventilation, wear suitable respiratory equipment.

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Tight sealing safety goggles.

## Skin and body protection

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

## **Hand Protection**

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed. Gloves should be replaced regularly and if there is any sign of damage to the glove material. Always ensure that gloves are free from defects and that they are stored and used correctly. The performance or effectiveness of the glove may be reduced by physical / chemical damage and poor maintenance.

## Respiratory protection

In case of inadequate ventilation wear respiratory protection.

#### **Thermal Protection**

No information available

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Form liquid Appearance:

Odor Slight

Color Terra Cotta (Red brown)

Odor Threshold
PH value
8.5 – 9.5
Melting point/freezing point
Boiling point / boiling range
Flash point
Evaporation rate
Flammability (solid, gas)
Not determined
Not applicable
Not determined
Not applicable

Vapor PressureNot determinedVapor densityNot determined

Density (Ibs per US gallon) 10.99 Solubility in water Soluble

Auto ignition temperature Product not self-igniting

 Viscosity Krebs
 140 – 145 KU

 Material VOC
 0.32 lb/gal

 Coatings VOC (-water)
 0.78 lb/gal

Other information

## **Section 10: STABILITY AND REACTIVITY**

**Reactivity** No information available.

**Chemical stability** Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

**Hazardous polymerization** None under normal processing.

**Conditions to avoid** Heat, flames and sparks.

Incompatible materials Strong oxidizing agents.

Hazardous Decomposition Products Carbon monoxide. Carbon dioxide (CO2).

## **Section 11: TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Eye contact Not applicable

**Skin Contact** 

May cause an allergic skin reaction

Ingestion Not applicable Inhalation Not applicable

#### Numerical measures of toxicity - Component Information

| Chemical Name                                | Oral LD50           | Dermal LD50           | Inhalation LC50  |
|--|---------------------|-----------------------|------------------|
| Titanium dioxide<br>13463-67-7               | > 10000 mg/kg (Rat) | > 10000 mg/kg (Rat)   | >6.82 mg/l (Rat) |
| 3-lodo-2-propynyl butyl carbamate 55406-53-6 | = 1100 mg/kg (Rat)  | -                     | -                |
| Propylene glycol<br>57-55-6                  | 20,000 mg/kg (Rat)  | 20,800 mg/kg (Rabbit) | -                |

#### **UNKNOWN ACUTE TOXICITY**

0% of the mixture consists of ingredient(s) of unknown toxicity.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

## Carcinogenicity

According to IARC, Volume 93, no significant exposure to primary particles of titanium dioxide is thought to occur from use in paints since the pigment is bound to other materials.

| Chemical Name    | ACGIH | IARC     | NTP | OSHA |
|------------------|-------|----------|-----|------|
| Titanium dioxide |       | Group 2B |     | X    |
| 13463-67-7       |       |          |     |      |

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans.

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present.

Skin corrosion/irritation Not applicable Serious eye damage/eye irritation Not applicable

May cause an allergic skin reaction Skin sensitization

Respiratory sensitization Not applicable Germ cell mutagenicity Not applicable Not applicable Carcinogenicity **Aspiration Hazard** Not applicable **Reproductive Toxicity** Not applicable Specific target organ toxicity Not applicable

(single exposure)

Specific target organ toxicity

(repeated exposure)

Not applicable

## Section 12: ECOLOGICAL INFORMATION

#### **Ecotoxicity**

The environmental impact of this product has not been fully investigated

#### **Environmental precautions**

Prevent product from entering drains.

#### Marine pollutant

No information available

#### Persistence and degradability

No information available

#### Bioaccumulation

No information available

#### Mobility

No information available

#### Other adverse effects

No information available

## **Section 13: DISPOSAL CONSIDERATIONS**

## Waste treatment methods

Disposal of wastes: Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging: Improper disposal or reuse of this container may be dangerous and illegal. Empty

containers must be scrapped or reconditioned.

#### Section 14: TRANSPORT INFORMATION

**DOT IMDG IATA UN1263** UN1263 UN1263 UN1263

**14.2 Proper shipping name** Paint- Not Regulated Paint- Not Regulated Paint- Not Regulated

#### No information available

The supplier may apply one of the following exceptions: Combustible Liquid (49 CFR 173.150(f)); Consumer Commodity (49 CFR 173.150(c), ICAO/IATA SP A112); Limited Quantity (49 CFR 173.150(b), ICAO Part 3 Chapter 4, IATA 2.7, IMDG Chapter 3.4); Viscous Liquid (49 CFR 173.121(b), IMDG 2.3.2.2, IATA 3.3.3.1.1, ICAO 3.2.2, ADR 2.2.3.1.5); Does Not Sustain Combustion (49 CFR 173.120(a), IATA 3.3.1.3, ICAO

3.1.3, IMDG 2.3.1.3, ADR 2.2.3.1.1 Note 1); or others as allowed under hazardous materials/dangerous goods regulations.

# **Section 15: REGULATORY INFORMATION**

## **International Inventories**

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL** - Canadian Domestic Substances List

All components are listed or exempt from listing.

All components are listed or exempt from listing

## **US Federal Regulations**

## SARA 311/312 Hazard Categories

| Acute health hazard               | Yes |
|-----------------------------------|-----|
| Chronic Health Hazard             | No  |
| Fire hazard                       | No  |
| Sudden release of pressure hazard | No  |
| Reactive Hazard                   | No  |

## **US State Regulations**

## Rule 66 status of product

Not photochemically reactive.

## **California Proposition 65**

Titanium Dioxide 13463-67-7

## **EPA Label information**

**EPA Pesticide registration number:** Not applicable

## **U.S. State Right-to-Know Regulations**

| Chemical Name  |
|--|
| Water  |
| 7732-18-5  |
| Proprietary Non-Hazardous Ingredient - Proprietary CAS |
| Proprietary Non-Hazardous Ingredient - Proprietary CAS |
| Titanium dioxide                                       |
| 13463-67-7   |
| Proprietary Non-Hazardous Ingredient - Proprietary CAS |
| 3-lodo-2-propynyl butyl carbamate                      |
| 55406-53-6   |
| Propylene Glycol                                       |
| 57-55-6  |

## **Section 16: OTHER INFORMATION**

## **HMIS**

Health hazards 1
Flammability 0
Physical hazards 0
Personal Protection X

Prepared By Performance Coatings Inc.

Revision date 03/01/2017

Revision Note No information available

## Disclaimer

The information on this Safety Data Sheet (SDS) is based on the present state of our knowledge, current national legislation and guidelines. As the specific conditions of use of the product are outside the supplier's knowledge and control the user is responsible for ensuring that the requirements of relevant legislation are complied with. This SDS should not be construed as any guarantee of the technical performance or suitability for particular applications. UNLESS SUPPLIER AGREES OTHERWISE IN WRITING, SUPPLIER MAKES NO WARRANTIES, EXPRESS OR IMPLIED, AND DISCLAIMS ALL IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR FREEDOM FROM PATENT INFRINGEMENT. SUPPLIER WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES.

**End of Safety Data Sheet**